

**LIST OF FOAM GRADES**

Foam grades	Colour	Density (kg/m <sup>3</sup> ) ISO 845	Hardness N (40% 5cm) ISO 2439	Compression set (75%) max ISO 1856	Remarks
<b>Standard foams</b>					
M 1813 B	white	16-19	44-80	8	soft
M 2520 B	white	23-25,5	71-107	8	
M 2532 B	white	23-25,5	124-160	8	
M 2832 B	white	26-28	124-160	8	
M 3228 K	brown	30-32	107-142	8	
M 3545 B	white	32,5-35	182-218	8	hard
<b>Memory foams (TDI)</b>					
P 4011 B	white	37,5-40	44-62	8	
P 4011 LN	blue/gel	37,5-40	44-62	8	foam with gel particles
P 4511 LN	blue/gel	42,5-45	44-62	8	foam with gel particles
P 4811 B	white	45,5-48	44-62	8	
P 4811 U	grey	45,5-48	44-62	8	
P 6411 LN	blue/gel	61-64	49-67	8	foam with gel particles
P 8011 B	white	74-80	44-62	8	
<b>Air - Memori foams (MDI)</b>					
Q 2810 B	white	26-28	36-53	8	
Q 2810 LN	blue/gel	26-28	36-53	8	foam with gel particles
Q 2810 U	grey	26-28	36-53	8	
Q 2813 B	white	26-28	49-67	8	
Q 2813 LN	blue/gel	26-28	49-67	8	foam with gel particles
Q 4011 A	green	37,5-40	44-62	8	green tea fragrance
Q 4011 B	white	37,5-40	44-62	8	
Q 4011 LN	blue/gel	37,5-40	44-62	8	foam with gel particles
Q 4811 B	white	45,5-48	49-67	8	
Q 4811 LN	blue/gel	45,5-48	49-67	8	foam with gel particles
<b>Smart (Latex-like) foams</b>					
R 5012 F	pink	47-50	44-62	8	
R 5018 B	white	47-50	71-89	8	
R 5018 F	pink	47-50	71-89	8	
R 5518 F	pink	52-55	71-89	8	
<b>HR foams</b>					
G 4020 L	blue/white	37-40	71-107	8	super soft